

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/938,444	08/23/2001	Gary Greenfield	SRI1P037	2212	
22434 7	22434 7590 10/31/2003			EXAMINER	
BEYER WEAVER & THOMAS LLP P.O. BOX 778			HAYES, BRET C		
			ART UNIT	PAPER NUMBER	
BERKELEY,	CA 94704-0778		3644	TATER NUMBER	
			3077		
			DATE MAILED: 10/31/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

				12			
.5		Application No.	Applicant(s)	/			
Office Action Summary		09/938,444	GREENFIELD ET AL.				
		Examiner	Art Unit				
		Bret C Hayes	3644	<u> </u>			
Period f	The MAILING DATE of this communication a or Reply	appears on the cover sheet v	vith the correspondence addres	'S			
THE - External control	MAILING DATE OF THIS COMMUNICATION PERIOD FOR REINALING DATE OF THIS COMMUNICATION PRIOR SIX (6) MONTHS from the mailing date of this communication. The period for reply specified above is less than thirty (30) days, a period for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by stareply received by the Office later than three months after the material part of the mailing process. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply within the statutory minimum of thiod will apply and will expire SIX (6) MO stute, cause the application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this commu	nication.			
31aius 1)⊠	Paspansive to communication(s) filed on 3	25 August 2002					
ارا (2a	Responsive to communication(s) filed on 2 This action is FINAL . 2b)						
3)□	/—	This action is non-final.		anita ia			
	Since this application is in condition for allo closed in accordance with the practice und ion of Claims			erits is			
4)⊠	Claim(s) 1-19 is/are pending in the applicat	tion.					
	4a) Of the above claim(s) is/are withd	Irawn from consideration.					
5)□	Claim(s) is/are allowed.						
6)⊠	Claim(s) <u>1-19</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and	d/or election requirement.					
Applicat	ion Papers		•				
9)[The specification is objected to by the Exami	iner.					
10)	The drawing(s) filed on is/are: a) ☐ ac	cepted or b) objected to by	the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11)	The proposed drawing correction filed on		disapproved by the Examiner.				
40)	If approved, corrected drawings are required in						
	The oath or declaration is objected to by the	Examiner.					
	under 35 U.S.C. §§ 119 and 120						
	Acknowledgment is made of a claim for fore	eign priority under 35 U.S.C.	§ 119(a)-(d) or (f).				
a)	☐ All b)☐ Some * c)☐ None of:						
	1. Certified copies of the priority docume						
	2. Certified copies of the priority docume						
* (Copies of the certified copies of the pi application from the International See the attached detailed Office action for a li 	Bureau (PCT Rule 17.2(a)).	_	l e			
	Acknowledgment is made of a claim for dome	•		lication)			
) \square The translation of the foreign language μ						
15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachmen	nt(s)						
2) 🔲 Notic	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s	5) 🔲 Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152				

Application/Control Number: 09/938,444

Art Unit: 3644

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 2, 5-7, 11-15, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 4,437,382 to Yerushalmi (previously cited) in view of 3,820,435 to Rogers et al. (also previously cited).

In reference to claim 1, Yerushalmi discloses a container for an explosive device including: an outer containment vessel (figure 1, element 2) adapted to rest on one end or one side, the outer vessel including an outer access port (elements 4, 6); an inner containment vessel (element 18) positioned completely within the outer vessel, the inner containment vessel including an inner access port (element 18'); a means for suspending the explosive device in the inner containment vessel (netting 32); and a means for rotating one vessel with respect to the other (column 2, lines 57-64); wherein a vessel rotates from a position where the access ports are aligned (figure 3) to a position where the inner access port is rotated away from the outer port (figure 1) to mitigate effects of an explosion (column 4, lines 13-22). Yerushalmi does not specify: means for lining the inner containment vessel such that the explosive device is at least partially suspended; and rotation of the inner access port to a position 90-180 degrees away from the outer access port. Rogers et al. teach a netting 157 suspended in a vessel 150 which may be attached to a supporting structure within the vessel 150, as set forth at col. 8, line 45, in the same

field of endeavor for the purpose of suspending an explosive device. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Yerushalmi to include a means for lining as taught by Rogers et al. in order to suspend an explosive device. Further, it would be obvious to select a range of a position 90-180 degrees, since it has been held that where general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. Again, note that the recitation that an element is "adapted to", line 2, perform a function is not a positive limitation but only requires the ability to so perform. It is not a limitation in any patentable sense.

In reference to claim 2, Yerushalmi discloses contoured inner and outer surfaces (figure 1, where the rounded contours allow rotation), with a small clearance therebetween such that a close tolerance is maintained between the outer containment vessel and the inner containment vessel.

In reference to claim 5, Yerushalmi does not disclose a central portion and a removable end dome, but it would have been obvious to one having ordinary skill in the art at the time the invention was made to include a removable end dome, since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art.

In reference to claim 6, Yerushalmi discloses a cover (element 20) for an outer access port (where cover 20 engages port 4 upon an explosion).

In reference to claim 7, it would have been obvious to select a flame retardant cover material, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice.

Application/Control Number: 09/938,444

Art Unit: 3644

In reference to claim 11, Yerushalmi discloses a spherical outer vessel (figure 1).

In reference to claim 12, it would have been an obvious matter of design choice to design a cylindrical outer vessel, since applicant has not disclosed that the shape solves any stated problem or is for any particular purpose and it appears that the invention would perform equally well with spherical and cylindrical outer vessel shapes.

In reference to claim 13, Yerushalmi discloses a lever arm (element 16) attached to the outer containment vessel for rotation rather than the inner containment vessel. However, it would have been obvious to position the lever arm on the inner containment vessel instead of the outer containment vessel, since the same rotation of the vessels with respect to each other could be achieved, and since it has been held that rearranging parts involves only routine skill in the art.

In reference to claims 14 and 15, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include remotely activated rotating means or rotating means comprising a motorized mechanical drive system, since it has been held that broadly providing a mechanical or automatic means to replace manual activity which has accomplished the same result involves only routine skill in the art.

Concerning method claim 18, in view of the structure disclosed by Yerushalmi in view of Rogers et al., the method of operating the device would have been inherent, since it is the normal and logical manner in which the device could be used. See discussion of claim 1 above.

3. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yerushalmi in view of Rogers et al. further in view of U.S. Patent No. 4,432,285 to Boyars et al (previously cited).

Application/Control Number: 09/938,444

Art Unit: 3644

In reference to claims 3 and 4, Yerushalmi does not teach the claimed flame retardant filler material in the clearance.

Boyars et al teaches filler material in a bomb blast attenuator for the purpose of attenuating shock waves (column 3, lines 1-5). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include filler material, as taught by Boyars, in the clearance between the vessels disclosed by Yerushalmi, so as to attenuate shock waves. It would have been obvious to select a flame retardant filler material, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice.

4. Claims 8-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yerushalmi in view of Rogers et al. further in view of U.S. Patent No. 5,684,264 to Cassells et al (previously cited).

In reference to claims 8-10, Yerushalmi does not teach the claimed flame retardant inner lining material for supporting the explosive device.

Cassells teaches an inner lining material that supports an explosive device, absorbs kinetic energy, and prevents ricochet (figures 2 and 4; column 5, lines 5-25). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include an inner lining, as taught by Cassells, for the inner containment vessel disclosed by Yerushalmi, so as to absorb kinetic energy and thereby shield the containment vessels from the explosive effects. It would have been obvious to select a flame retardant lining, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice.

Application/Control Number: 09/938,444 Page 6

Art Unit: 3644

5. Claims 16, 17, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yerushalmi in view of U.S. Patent No. 3,820,435 to Rogers et al (previously cited).

In reference to claim 16, Yerushalmi does not disclose the claimed sealing means.

Rogers teaches a sealing means (plug 7) between inner and outer vessels (figure 4: elements 1 and 24) so that toxic agents are contained within the unit (column 4, lines 5-6). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include sealing means, as taught by Rogers, for the device disclosed by Yerushalmi, so as to minimize the spread of toxic contaminants.

In reference to claim 17, Rogers teaches an access valve permitting sampling post-detonation contents of a container (column 7, lines 27-35). Rogers teaches that the access valve allows monitoring of post-detonation gases in order to determine whether or not the container has vented (column 7, lines 27-35). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to include an access valve, as taught by Rogers, in the container disclosed by Yerushalmi, to allow sampling and monitoring of post-detonation contents of the container.

In reference to claim 19, Yerushalmi, as modified in view of Rogers, discloses the claimed invention. See discussion of claims 1 and 17 above.

Response to Arguments

6. Applicant's arguments with respect to claims 1 - 19 have been considered but are most in view of the new ground(s) of rejection.

Art Unit: 3644

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication should be directed to Bret Hayes at telephone number (703) 306 - 0553. The examiner can normally be reached Monday through Friday from 5:30 am to 3:00 pm, Eastern Standard Time.

If attempts to contact the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Jordan, can be reached at (703) 306 – 4159. The fax number is (703) 872 – 9306.

bh

10/29/03